


Neotropical Notebook



Neotropical Notebook contains two sections. The first summarises records published elsewhere in the literature, following the format previously established in *Cotinga*. The second lists unpublished and undocumented records. Photographs are published where appropriate.

PUBLISHED RECORDS FROM THE LITERATURE

CARIBBEAN

Cuba

Formerly only a vagrant to the country, **American Avocet** *Recurvirostra americana* has recently been recorded breeding in Cuba, with two colonies located in the Ciénaga de Birama in June 2007⁶⁴.

Grenada

Large-billed Tern *Phaetusa simplex* has been recorded on Grenada (and in the Lesser Antilles) for the first time, a bird present on 31 May–1 June 2010¹³⁰.

MIDDLE AMERICA

Belize

Harpy Eagle *Harpia harpyja* has been discovered nesting in the country for the first time¹⁰⁹.

Costa Rica

The latest (2012) update to the country's checklist includes the addition of eight completely new records not resulting from changed taxonomy—**Canvasback** *Aythya valisineria*, **Redhead** *A. americana*, **Hooded Merganser** *Lophodytes cucullatus*, **Great Shearwater** *Puffinus gravis*, **Manx Shearwater** *P. puffinus*, **Galápagos Shearwater** *P. subalaris*, **White-tailed Tropicbird** *Phaethon lepturus* and **Red-tailed Tropicbird**

P. rubricauda—as well as seven for which more complete evidence is now available, namely **Markham's Storm Petrel** *Oceanodroma markhami*, **Clapper Rail** *Rallus longirostris*, **Grey Gull** *Leucophaeus modestus*, **Rufous Nightjar** *Antrostomus rufus*, **Aplomado Falcon** *Falco femoralis*, **Western Kingbird** *Tyrannus verticalis* and **Brown-chested Martin** *Progne tapera*⁹¹. Ten new species for Cocos Island have been reported recently, namely **Green-winged Teal** *Anas (crecca) carolinensis*, **Northern Shoveler** *A. clypeata*, **Sora** *Porzana carolina*, **Short-billed Dowitcher** *Limnodromus griseus*, **Yellow-throated Vireo** *Vireo flavifrons*, **Blackpoll Warbler** *Setophaga striata*, **Summer Tanager** *Piranga rubra*, **Painted Bunting** *Passerina ciris*, **Blue Grosbeak** *Passerina caerulea* and **Yellow-headed Blackbird** *Xanthocephalus xanthocephalus*⁵⁷. A detailed look at the breeding biology of **White-eared Ground Sparrow** *Melospiza leucotis* has revealed that the species constructs two different types of nest¹¹⁴.

El Salvador

The first country record of **Plain Chachalaca** *Oryzopsis vetula* was made in Montecristo National Park in July 2012⁹⁹, while the first **Southern Lapwing** *Vanellus chilensis*, a species that is spreading north in Central America, was photographed in March 2012¹.

Mexico

Goosander (Common Merganser) *Mergus merganser* has been photographed in Durango⁸² (one of the southernmost records ever) and **Red-breasted Nuthatch** *Sitta canadensis* is a new species for the state of Chihuahua⁸⁸. A number of novel distributional records have been published

for the globally threatened **Black-capped Vireo** *Vireo atricapilla*⁷⁸. **Crane Hawk** *Geranospiza caerulescens*, **Purple Gallinule** *Porphyrio martinicus*, **Keel-billed Toucan** *Ramphastos sulfuratus*, **Black-crowned Tityra** *Tityra inquisitor* and **Bobolink** *Dolichonyx oryzivorus* have been added to the avifauna of Hidalgo¹²⁶, while **Kentucky Warbler** *Geothlypis formosa* has been confirmed in the same state²⁰, **Mexican Jay** *Aphelocoma californica*, **Black-vented Oriole** *Icterus wagleri* and **Montezuma Oropendola** *Psarocolius montezuma* are new for Tamaulipas¹⁰⁷, with **Aplomado Falcon** *Falco femoralis* reconfirmed for there, and **Black Tern** *Chlidonias niger*, **Willet** *Tringa semipalmata* and **Snowy Plover** *Charadrius nivosus* all recorded for the first time in Querétaro⁵⁶. The invasive **European Starling** *Sturnus vulgaris* has been discovered breeding in the city of Pachuca, Hidalgo⁴⁵. **Snail Kite** *Rostrhamus sociabilis* has been added to the avifauna of Jalisco¹⁰⁰ and **Black-throated Magpie-Jay** *Calocitta colliei* to that of Michoacán³. **Crested Guan** *Penelope purpurascens* has been discovered at several new localities in Puebla and Oaxaca⁴⁶. **Red-legged Honeycreeper** *Cyanerpes cyaneus* has been found breeding in the Sierra Madre del Sur, Guerrero¹⁴, and **Military Macaw** *Ara militaris* has been discovered in the north of the same state¹²⁸, with a breeding colony in north-east Guerrero⁶². The spread of **Eurasian Collared Dove** *Streptopelia decaocto* continues, with the first breeding records in the Yucatán²⁵. The nests and eggs of **Clarion Wren** *Troglodytes tanneri*¹²³, **Cozumel Vireo** *Vireo bairdi*⁶⁵ and **Rose-bellied Bunting** *Passerina rositae*⁹⁷ have been described.

Nicaragua

Known from very few previous records in Nicaragua, **Ladder-backed Woodpecker** *Picoides scalaris* has been recorded on the country's north-east Pacific coast²⁶.

Panama

Three new records for Panama are also first records for Middle America and the AOU's North American Checklist region: **Long-winged Harrier** *Circus buffoni*, **Large-billed Seed Finch** *Oryzoborus crassirostris* and **Yellow-hooded Blackbird** *Chrysomus icterocephalus*⁵.

SOUTH AMERICA**Argentina**

White-chinned Sapphire *Hylocharis cyanea* is known from just one previous record in Argentina, in Buenos Aires in 1926, but a dead specimen was discovered at the border of Salta and Jujuy provinces in October 2010³¹. There have been further records of **Swallow-tailed Hummingbird** *Eupetomena macroura* in Misiones province²¹. Among new province records, the following six species are all new for San Juan: **Buff-necked Ibis** *Theristicus caudatus hyperorius*, **Snowy-crowned Tern** *Sterna trudeaui*, **Greater Ani** *Crotophaga major*, **Blue-tufted Starthroat** *Heliomaster furcifer*, a **doradito** *Pseudocolopteryx* sp. and **Tawny-crowned Pygmy Tyrant** *Euscarthmus meloryphus*⁷². **Puna Flamingo** *Phoenicoparrus jamesi*⁷⁴, as well as **Dinelli's Doradito** *Pseudocolopteryx dinellianus*⁷³, and separately **Grey Potoo** *Nyctibius griseus*³⁷ and **Green-backed Firecrown** *Sephanoides sephaniodes*⁷⁹ have also been added to the same province's avifauna, **Steinbach's Canastero** *Pseudasthenes steinbachi* to that of Río Negro⁸, **Yellow-billed Cacique** *Amblyramphus holosericeus* appears to be establishing itself in Mendoza⁸⁰, **Barn Swallow** *Hirundo rustica* has been discovered breeding in La Pampa⁸⁹, while **Mitred Parakeet** *Aratinga mitrata* and

Slaty Thrush *Turdus nigriceps* are new for Santiago del Estero²⁸. New research suggests that **Quebracho Crested Tinamou** *Eudromia formosa* is declining in northern Argentina¹⁹, while separately Smith *et al.*¹²⁰ report on aspects of the species' distribution, breeding and vocalisations; in contrast, the rare **Black-bodied Woodpecker** *Dryocopus schulzi* appears to be doing better than thought, at least in the mountains of Córdoba⁵⁵. The first detailed breeding data for the widespread **Olivaceous Woodcreeper** *Sittasomus griseicapillus* have appeared¹⁵.

Bolivia

The nest and eggs of **D'Orbigny's Chat-Tyrant** *Ochthoeca oenanthoides* have been described from observations in dpto. La Paz⁸¹, and observations concerning the occurrence and breeding of **Crowned Eagle** *Urubitinga coronata* in dpto. Beni have also been reported¹².

Brazil

Two new species have been added to the national list: **Little Thornbird** *Phacellodomus sibilatrix* (in Rio Grande do Sul, January 2012)¹¹ and **Chaco Earthcreeper** *Tarphonomus certhioides* (same state, July 2012)¹⁰⁴, while records of **Bulwer's Petrel** *Bulweria bulwerii* (off Rio de Janeiro, December 2011)⁶³ and **Least Seedsnipe** *Thinocorus rumicivorus* (São Paulo, April 2012) are the first documented occurrences in Brazil²². Further records of **White-winged Tern** *Chlidonias leucopterus* in far southern Brazil have also been published³². Subject to considerable ornithological attention in recent years, Guilherme⁵³ has provided an overview and checklist of the birds of Acre, the latter numbering 667 confirmed species at present. A major contribution by Lees *et al.*⁶⁷ presents the results of a five-month survey of the birds of Paragominas, Pará, which recorded 440 species, with voucher documentation obtained for 418 of these; among the many notable range extensions were

the first records for Pará and Amazonia of **Spotted Piculet** *Picumnus pygmaeus*, the first records east of the rio Tocantins of **Large-headed Flatbill** *Ramphotrigon megacephalum* and **Yellow-shouldered Grosbeak** *Parkerthraustes humeralis*, and multiple observations of the threatened *paraensis* subspecies of **Cinnamon-throated Woodcreeper** *Dendrexetastes rufigula*. Our knowledge of the avifauna of Tocantins continues to grow apace, with Dornas *et al.*³⁶ reporting important range extensions of **Marbled Wood Quail** *Odonthophorus gujanensis*, **Blackish Nightjar** *Hydropsalis nigrescens*, **Striolated Puffbird** *Nystalus striolatus*, **Gould's Toucanet** *Selenidera gouldii*, **Manu Antbird** *Cercomacra manu*, **Chestnut-throated Spinetail** *Synallaxis cherriei*, **Bright-rumped Attila** *Attila spadiceus*, **Purple-breasted Cotinga** *Cotinga cotinga* and **Pale-bellied Mourner** *Rhytipterna immunda* from there. New records and breeding data for **Sooty Swift** *Cypseloides fumigatus*, from the states of Bahia, Goiás, Minas Gerais and Tocantins, have substantially improved our knowledge of the species⁹⁰. Dias *et al.*³⁴ have reviewed the status and distribution of **Arctic Tern** *Sterna paradisaea* in Brazil. An interesting work is that of Simpson *et al.*¹¹⁹, who prepared a list of 417 documented bird species in the well-watched municipality of Ubatuba, in coastal São Paulo, and a popular area with both resident and foreign birdwatchers on account of its many Atlantic Forest endemics, globally threatened species and rarities. **Bare-faced Ibis** *Phimosus infuscatus*, **Grey-bellied Hawk** *Accipiter poliogaster*, **Yellow-breasted Crane** *Porzana flaviventer*, **White-banded Piculet** *Picumnus cirratus* and **Creamy-bellied Gnatcatcher** *Poliophtila lactea* have been added to the state list for Santa Catarina¹¹¹, as have **Great Dusky Swift** *Cypseloides senex*, **Masked Gnatcatcher** *Poliophtila dumicola* and **Solitary Cacique**

Procapicacus solitarius, while records of **Long-tufted Screech Owl** *Megascops sanctaecatarinae*, **Long-trained Nightjar** *Macropsalis forcipata*, **Greenish Tyrannulet** *Phyllomyias virescens* and **Southern Antpitt** *Corythopsis delalandi* are the first for the state to be published for at least 40 years². Among other new or important state records published since our last review are the first **Chilean Skua** *Stercorarius chilensis*²³ and **Stygian Owl** *Asio stygius* for Espírito Santo¹¹⁸, **Blue-crowned Parakeet** *Aratinga acuticaudata* in Minas Gerais⁹⁵, the first **Hyacinth Visorbearer** *Augastes scutatus* for Bahia¹²⁷, **Rondônia Bushbird** *Clytoctantes atrogularis* in Acre⁵⁴, the first **Caatinga Antwren** *Herpsilochmus sellowi* for Tocantins⁹⁴, the first **Common Tody-Flycatcher** *Todirostrum cinereum*⁸⁵ in Santa Catarina, the first **Russet-winged Spadebill** *Platyrrinchus leucoryphus* for Bahia⁷, the first documented **Black-crowned Monjita** *Xolmis coronatus* in São Paulo⁶⁹, the first **Masked Water Tyrant** *Fluvicola nengeta* for Distrito Federal¹⁰², the first **Ashy-headed Greenlet** *Hylophilus pectoralis* in Mato Grosso do Sul¹³, and the rediscovery of **Yellow-legged Tinamou** *Crypturellus noctivagus* in Rio Grande do Sul²⁹, while nine new localities for **Great Dusky Swift** in Rio Grande do Sul have been reported⁷¹ and the range of **Ochre-breasted Pipit** *Anthus nattereri* has been extended 170 km northwards in Minas Gerais⁸³. Pacheco Nunes *et al.*⁹⁶ have reviewed the distribution of **Fasciated Tiger Heron** *Tigrisoma fasciatum* in south-central Brazil, in the states of Mato Grosso, Mato Grosso do Sul and Goiás. Ubaid *et al.*¹²⁵ present new records of **Buff-fronted Owl** *Aegolius harrisi* in Minas Gerais and São Paulo, including the discovery of a nest. For Mato Grosso do Sul, **Sulphury Flycatcher** *Tyrannopsis sulphurea* was a new state record, while **Black-throated Trogon** *Trogon rufus*, **Rufous-capped Motmot** *Baryphthengus*

ruficapillus, **Buff-bellied Puffbird** *Notharchus swainsoni*, **Rufous-capped Spinetail** *Synallaxis ruficapilla* and **Bare-throated Bellbird** *Procnias nudicollis* were all unusual there⁸⁷. **Burrowing Owl** *Athene cunicularia* is expanding its range across the Brazilian Amazon, undoubtedly in response to ongoing deforestation⁴⁴. **Ocellated Crake** *Micropygia schomburgkii*, **Checkered Woodpecker** *Veniliornis mixtus*, **Sharp-tailed Tyrant** *Culicivora caudacuta* and **Black-masked Finch** *Coryphaspiza melanotis* have all been documented in the southern Espinhaço of Minas Gerais⁸⁴. Among breeding data recently published are works on **Grey-bellied Hawk** *Accipiter poliogaster*¹⁶, **White-rumped Hawk** *Buteo leucorrhous*¹³², **Long-tufted Screech Owl**¹²⁴, **Least Nighthawk** *Chordeiles pusillus*⁷⁰, **Ochraceous Piculet** *Picumnus limae*¹¹⁷, **Red-billed Scythebill** *Campylorhamphus trochilirostris*⁴³, **Great Antshrike** *Taraba major*⁶⁶, **Marsh Antwren** *Stymphalornis acutirostris*¹⁰³, **Chestnut-belted Gnateater** *Conopophaga aurita*⁶⁸ and **Yellow-olive Flatbill** *Tolmomyias sulphurescens*⁴.

Chile

The second and third records of **Dark-billed Cuckoo** *Coccyzus melacoryphus* were made in 2011, in January and May¹⁸. **Chilean Mockingbird** *Mimus thenca* has been found breeding in the northern part of Chiloé Island²⁴. Interesting records mainly from March 2011–February 2012 reported in *La Chiricoca* include: the country's third documented record of **White-capped Albatross** *Thalassarche cauta* off Region V in November 2011, **Henderson Petrel** *Pterodroma atrata* on Easter Island in May 2011 (species only recently documented there), a **Mottled Petrel** *P. inexpectata* in the Drake Passage in February 2012 (no documented records for Chile), a **Red-tailed Tropicbird** *Phaethon rubricauda* off Region III in January 2012, a **Blue-footed**

Booby *Sula nebowxii* off Arica in November 2011, a **Brown Pelican** *Pelecanus occidentalis* off Region II in February 2012, two adult **Yellow-crowned Night Herons** *Nyctanassa violacea* in Arica in April 2011 (see *Cotinga* 32: 157–158 for the first country records), a **Purple Gallinule** *Porphyrio martinicus* in Region XV in July 2011, the first documented record of **Wandering Tattler** *Tringa incana* on Easter Island, in March 2011 (and for **Sanderling** *Calidris alba* in December 2010), one or two **Brown Skuas** *Stercorarius antarcticus* on Bartolomé, in the Diego Ramírez archipelago in September–October 2011 (first documented record for Chile), two **Lesser Nighthawks** *Chordeiles acutipennis* in Region I in March 2011, the first Chilean record of **Glittering-bellied Emerald** *Chlorostilbon lucidus* photographed in the Metropolitan Region in December 2011, four records of **Great Kiskadee** *Pitangus sulphuratus* between late October 2011 and early February 2012 and a **Grey-breasted Martin** *Progne chalybea* in Region III in October 2011 (second Chilean record)^{9,10}.

Colombia

An expedition in 2011 to the Amazonian state of Guainia produced two new species for the national checklist, **Crimson Fruitcrow** *Haematoderus militaris* (sight record only) and **Spotted Tanager** *Tangara punctata* (photographs)¹⁰¹, while **Pacific Hornero** *Furnarius cinnamomeus* has been found in the country for the first time (in dpto. Nariño)⁷⁵ and the second Colombian record of **Forster's Tern** *Sterna forsteri* involved two birds photographed on the north coast in March 2011¹¹⁰. Overlooked until recently, a specimen dating from October 1969 of **Black-and-white Tanager** *Conothraupis speculigera* is the first country record¹³¹. **Red-breasted Merganser** *Mergus serrator* has been recorded for the first time on Providencia and San Andrés, both of which are in the Caribbean but politically part of Colombia¹²⁹.

Avian inventories in the Serranía de San Lucas in northern Colombia yielded many novel distributional data, among them range extensions for **Pavonine Cuckoo** *Dromococcyx pavoninus*, **Lyre-tailed Nightjar** *Uropsalis lyra*, **White-tipped Sicklebill** *Eutoxeres aquila*, **Western Woodhaunter** *Hyllocistes virgatus*, **Buff-fronted Foliage-gleaner** *Philydor rufum*, **Spotted Woodcreeper** *Xiphorhynchus erythropygius*, **Slaty Antwren** *Myrmotherula schisticolor*, **White-crowned Tapaculo** *Scytalopus atratus*, **Rufous-browed Tyrannulet** *Phylloscartes supercilialis*, **Orange-billed Nightingale-Thrush** *Catharus aurantirostris*, **Golden Tanager** *Tangara arthus* and **Yellow-throated Bush Tanager** *Chlorospingus flavigularis*³⁵. The first records in more than a decade of the globally threatened **Santa Marta Wren** *Troglodytes monticola* were made in December 2011⁷⁶. Two new localities for **Todd's Parakeet** *Pyrrhura picta caeruleiceps* have been found in the north-east of the country¹⁷. **Red-crowned Woodpecker** *Melanerpes rubricapillus* appears to be expanding southwards, having recently arrived in dpto. Valle del Cauca⁴¹. Among interesting breeding biology data are papers on the endemic **Black Inca** *Coeligena prunellei*⁷⁷, **Red-bellied Grackle** *Hypopyrrhus pyrohypogaster*⁹² and **Santa Marta Brush Finch** *Atlapetes melanocephalus*⁹³, as well as **Blue-naped Chlorophonia** *cyanea*³⁹. *Contra* the comment in *Cotinga* 34: 183, Pale-legged Warbler *Basileuterus signatus* had already been removed from the Colombian checklist mentioned therein.

Ecuador

Natural history notes and new distributional information for **Indigo Flowerpiercer** *Diglossa indigotica* have been presented¹²¹. **Canary-winged Parakeet** *Brotogeris versicoloris* has been added to the country's list based on an established exotic population in Guayaquil⁴⁰.

Solano-Ugalde & Real-Jibaja¹²² present records of 18 species that improve our understanding of their distributions in eastern Ecuador. Guevara *et al.*⁵² censused birds in Sangay National Park, Morona-Santiago, recording 127 species, of which four—**White-bearded Hermit** *Phaethornis hispidus*, **Black-mandibled Toucan** *Ramphastos ambiguus*, **Spectacled Bristle Tyrant** *Pogonotriccus orbitalis* and **Wing-banded Wren** *Microcerculus bamba*—represented range extensions. Breeding data for Ecuadorian birds continue to be published at a prodigious rate due to the efforts of Harold Greeney and his colleagues, with recent papers including a comparative look at **Ecuadorian Columбина** *buckleyi* and **Croaking Ground Doves** *C. cruziana*⁵⁸, and new data for **Collared Inca** *Coeligena torquata*⁸⁶, **Ochre-breasted Antpitta** *Grallaricula flavirostris*⁵⁰, **Crescent-faced Antpitta** *G. lineifrons*⁴⁸ and **Black-capped Hemispingus** *Hemispingus atropileus*⁴⁹.

Falkland Islands (Malvinas)

The observation of a **Royal Penguin** *Eudyptes schlegelii* on New Island in January 2011 might represent the first confirmed record for the archipelago³³.

French Guiana

Relatively few nests of the secretive **Sungrebe** *Heliornis fulica* have been described, but to these can be added the first in French Guiana, in January 2009⁵⁹; new nesting data for **Green Araçari** *Pteroglossus viridis* have also been published from the country⁶⁰. Note that the incorrect scientific name was given in association with the first Black-and-white Tanager *Conothraupis speculigera* (not *C. mesoleuca*) reported in *Cotinga* 34: 184, 188.

Peru

Despite many previous avifaunal surveys of extreme north-west Peru, Sánchez *et al.*¹¹² report the first (or first documented) records for Tumbes of **Comb Duck** *Sarkidiornis melanotos*,

Brown Booby *Sula leucogaster*, **Double-toothed Kite** *Harpagus bidentatus*, **Ornate Hawk-Eagle** *Spizaetus ornatus*, **Pallid Dove** *Leptotila pallida*, **Mottled Owl** *Ciccaba virgata*, **Buff-fronted Owl** *Aegolius harrisii*, **Rufous-tailed Hummingbird** *Amazilia tzacatl* (first for Peru), **Andean Emerald A.** *franciae viridiceps* (first Peruvian record of this taxon), **Purple-crowned Fairy** *Heliothryx barroti* (sight record only, the first for Peru), **Olivaceous Piculet** *Picumnus olivaceus*, **Line-cheeked Spinetail** *Cranioleuca antisimensis*, **Yellow-bellied Elaenia** *Elaenia flavogaster*, **Sulphur-rumped Flycatcher** *Myiobius barbatus*, **Little Ground-Tyrant** *Muscisaxicola fluviatilis*, **Ochraceous Attila** *Attila torridus*, **Flame-rumped Tanager** *Ramphocelus flammigerus*, **Silvery-throated Tanager** *Tangara icterocephala*, **Bay-crowned Brush Finch** *Atlapetes seebohmi* and **Blue Seedeater** *Amaurospiza concolor*. Robbins *et al.*¹⁰⁵ describe bird surveys over the course of a 30-year period at Abra Maruncunca, Puno, which yielded the first occurrence and clarification of the status in Peru for **Ochre-cheeked Spinetail** *Synallaxis scutata*, **Olivaceous Woodcreeper** *Sittasomus griseicapillus viridis*, **Scimitar-winged Piha** *Lipaugus uropygialis*, **White-necked Thrush** *Turdus albicollis contemptus*, **Blue-browed Tanager** *Tangara c. cyanotis*, **White-browed Brush Finch** *Arremon torquatus* and **Yellow-bellied Siskin** *Sporagra xanthogastra*. Within the context of an avian inventory of Laquipampa Wildlife Refuge, Lambayeque, Angulo *et al.*⁶ present notes on 16 species for which the new data consolidate our knowledge of their status and distribution in northern Peru. Further breeding data for the globally threatened **Peruvian Plantcutter** *Phytotoma raimondii*¹⁰⁸, secretive **Olive Finch** *Arremon castaneiceps*³⁸ and little-known **Selva Cacique**

Cacicus koepckeae have been published⁵¹. The range of **Ecuadorian Thrush** *Turdus maculirostris* has been extended south to Piura³⁰ and that of **Rainbow Starfrontlet** *Coeligena iris* to Ancash (and to a new high elevation)¹¹⁶, while **Southern Caracara** *Caracara plancus* is expanding northwards through the east of the country⁹⁸, doubtless in response to deforestation. **Comb Duck** is an addition to the avifauna of Ayacucho⁴² and **Semipalmated Plover** *Charadrius semipalmatus* to the list for Manu National Park¹¹⁵. The first breeding data for **Bearded Mountaineer** *Oreonympha nobilis*²⁷, **Stripe-headed Antpitta** *Grallaria andicolus*⁴⁷ and **Orange-eared Tanager** *Chlorochrysa calliparea*¹¹³ have been published.

Uruguay

The first records of **Great-winged Petrel** *Pterodroma macroptera* in the country were in May 2003 and March 2007⁶¹.

Venezuela

The first breeding data for the globally threatened and endemic **Plain-flanked Rail** *Rallus wetmorei* have been published¹⁰⁶.

OTHER RECORDS RECEIVED

Belize

The following records were submitted by J & JB. Single **Pinnated** *Botaurus pinnatus* and **American Bitterns** *B. lentiginosus* were at Hopkins, south of Dangriga, Stan Creek, on 22 February 2011, while two of the second-named species were at a pool between San Ignacio and Black Rock Lodge, Cayo, on 19 February 2011 (when known to have been present for at least two weeks). At least 20 **White-winged Doves** *Zenaida asiatica* were at Sittee River, south of Dangriga, Stan Creek, on 22 February 2011 (considered an 'autumn migrant' there; photographed). A **Swainson's Thrush** *Catharus ustulatus* at Black Rock Lodge,

near San Ignacio, on 15 February 2011, was presumably a winterer or very early spring migrant (usually not before late March), while a **White-throated Thrush** *Turdus assimilis* was also present at feeders there on 15–19 February 2011 (photographed), and a male **Rose-throated Tanager** *Piranga roseogularis* there on 14 February 2011 was at the southern edge of the species' range, although it is well known to lodge staff. Also at Black Rock Lodge was a female **Western Tanager** *P. ludoviciana* on 13 February 2011 (considered only a vagrant to Belize), while two adult **Altamira Orioles** *Icterus gularis* at Jaguar Reef resort, Hopkins, Stan Creek, on 21 February 2011 (photographed), were well south of the species' range as shown in Jones (2004. *Birds of Belize*).

Colombia

In September 1997, TMD & LD observed several **American Golden Plovers** *Pluvialis*



Figure 1. Franklin's Gull *Leucophaeus pipixcan*, Parque Simón Bolívar, Bogotá, Colombia, October 2011 (Miles McMullan)



Figure 2. Buff-winged Starfrontlet *Coeligena lutetiae*, Clarita Botero, Ibagué, Colombia, January 2012 (Nick Athanas)

dominica and a **Short-billed Dowitcher** *Limnodromus griseus* at CIAT, between Palmira and Cali, dpto. Valle del Cauca (03°30'14"N 76°21'20"W), where a semi-flooded rice field attracted many migrant waders, including Pectoral Sandpiper *Calidris melanotos* and both yellowlegs *Tringa* spp. The dowitcher was studied carefully with a North American field guide at hand, but no photographs were obtained. Both species are rare migrants in Colombia. A juvenile **Franklin's Gull** *Leucophaeus pipixcan* was at Parque Simón Bolívar, Bogotá (04°39'26"N 74°05'42"W), in October 2011 (Fig. 1; TMD & MM) during a severe storm; there are very few previous inland records for Colombia and this is the first for the Bogotá region. A **Buff-winged Starfrontlet** *Coeligena lutetiae* was photographed (Fig. 2) on 26 January 2012 at 1,700 m at Clarita Botero, Ibagué (NA), an unusually low altitude (cf. McMullan *et al.* 2011: 2,800–3,700 m).

Cuba

Interesting records from the Sabana-Camagüey archipelago included a very large flock of c.390 **American Avocets** *Recurvirostra americana* and a female-type **Hooded Merganser** *Lophodytes cucullatus* on Cayo Coco on 23 February 2013, with a female **Black-faced Grassquit** *Tiaris bicolor* on Cayo Paredón Grande on 7 March 2013 (ADM), while a series of unusually late records (all from spring 2013) are as follows: **Lesser Scaup** *Aythya affinis* (La Habana, 27 April), **Canvasback** *A. valisineria* (La Habana, 27 April), **Red-breasted Merganser** *Mergus serrator* (Cayo Coco, 3 May) and **Peregrine Falcon** *Falco peregrinus* (Cayo Coco, 4 May) (GMK, WP *et al.*). A **Chimney Swift** *Chaetura pelagica* was over La Cueva de los Portales, Pinar del Río province, on 25 March 2013 (SA, CS). Reports from DA include a **Blue-headed Vireo** *Vireo solitarius* on Cayo Coco on 8–9 March 2013; three **Lesser Black-**



Figure 3. Cape May Warbler *Setophaga tigrina*, Scarborough, Tobago, April 2013 (Beth Ellis)

backed Gulls *Larus fuscus* in Havana on 28 February 2013, with one there on 16 March and three again on 17 March; and a **Savannah Sparrow** *Passerculus sandwichensis* in Parque Lenin, Havana, on 27 February 2013, with three there on 15 March.

Ecuador

Among the many impressive reports featured on the 'Aves Ecuador' website (www.avesecuador.com) are a **Southern Scrub Flycatcher** *Sublegatus modestus* at Pacto Sumaco, Napo, on 11 June 2012 (first record), a male **Northern Pintail** *Anas acuta* at Lago San Pablo, Imbabura, on 28 June–2 July 2012 (first record), a female **Southern Martin** *Progne elegans* at Pañacocha, Sucumbíos, on 16 August 2012 (first documented record), two **Panama Flycatchers** *Myiarchus panamensis* at San Lorenzo, Esmeraldas, on 16 December 2012, and a **Dwarf Cuckoo** *Coccyzus pumilus* at Las Peñas, Esmeraldas, on 17 December 2012 (both first records); all of these are supported by photographs, and some also by sound-recordings.

Peru

On 20 August 2012 an adult **Marvelous Spatuletail** *Loddigesia mirabilis* was observed by JB & TM at Kuelap fortress (06°25'05"S 77°55'24"W), providing only the second record from the west side of the Utcubamba Valley and the highest-known elevation for the species (c.3,020 m). Local people claim that the species breeds there.

Trinidad & Tobago

A **Cape May Warbler** *Setophaga tigrina* was at Scarborough, Tobago on 7 April 2013 (I & BE; Fig. 3).

Acknowledgements

Contributions to the NEOORN 'NeoLit' service by Alexandre Aleixo, Fernando Angulo, Caio Carlos, Jack Eitnhear, Bernd Freymann, Kimball Garrett, Floyd Hayes, Sebastian Herzog, Stefan Kreft, Steven Latta, Chris Merkord, Nicole Michel, Adolfo G. Navarro-Sigüenza, Wilmar Múnera, Manuel Plenge, Fabrice Schmitt, Jorge Tomasevic and Stefan Woltmann greatly assisted the compilation of this review. The following forwarded or commented on records: Desmond Allen (DA),

Simon Allen (SA), Nick Athanas (NA), J. Beyer (JB), John & Janet Bowler (J & JB), Liliana Dávalos (LD), Thomas Donegan (TMD), Ian & Beth Ellis (I & BE), Johan Ingels, Guy Kirwan (GMK), Miles McMullan (MM), Tino Mischler (TM), Andy Mitchell (ADM), William Price (WP) and César Suárez (CS).

Neotropical Notebook: compiled by **Guy M. Kirwan, Diego Calderón, Jeremy Minns and Ignacio Roesler.**

References

1. Abrego, J. E. (2012) Primer registro de *Vanellus chilensis* en El Salvador. *Zeledonia* 16: 33–38.
2. Accordi, I. A. & Barcellos, A. (2008) Novas ocorrências e registros notáveis sobre distribuição de aves em Santa Catarina, Sul do Brasil. *Biotemas* 21: 85–93.
3. Álvarez-Jara, M., Monterrubio-Rico, T. C., Parra-Nogues, K. P., Ortega-Guzmán, L. & Cancino-Murillo, R. (2012) Primeros registros de *Calocitta colliei* para Michoacán, México, localidad de distribución más

- suroriental de la especie. *Huitzil* 13: 91–94.
4. Anciães, M., Aguilar, T. M., Leite, L. O., Andrade, R. D. & Marini, M. A. (2012) Nesting biology of the Yellow-olive Flatbill (Tyrannidae, Elaninae) in Atlantic Forest fragments in Brazil. *Wilson J. Orn.* 124: 547–557.
 5. Angehr, G. R. (2011) First North American records of Long-winged Harrier (*Circus buffoni*), Large-billed Seed-Finch (*Oryzoborus crassirostris*), and Yellow-hooded Blackbird (*Chrysomus icterocephalus*) from Panama. *N. Amer. Birds* 64: 540–547.
 6. Angulo Pradolongo, F., Flanagan, J. N. M., Vellinga, W.-P. & Durand, N. (2012) Notes on the birds of Laquipampa Wildlife Refuge, Lambayeque, Peru. *Bull. Brit. Orn. Club* 132: 162–174.
 7. Araujo Gabriel, V. & D'Arc Silva-Filho, J. (2011) Aves, Tyrannidae, *Platyrrhinus leucoryphus* Wied, 1931 [sic]: distribution extension in Brazil. *Check List* 7: 868–870.
 8. Areta, J. I., Hernández, I., Prieto, J., Delhey, K. & Povedano, H. (2012) La distribución austral del Canastero Castaño (*Pseudasthenes steinbachi*). *Nuestras Aves* 57: 54–59.
 9. Barros, R. & Schmitt, F. (2012) Resumen de avistamientos: marzo–agosto 2011. *La Chiricoca* 14: 26–33.
 10. Barros, R. & Schmitt, F. (2012) Resumen de avistamientos: septiembre 2011–febrero 2012. *La Chiricoca* 15: 31–38.
 11. Bellagamba, G. & Bellagamba de Oliveira, D. (2012) Primeiro registro do tio-tio-pequeno, *Phacellodomus sibilatrix* (Passeriformes: Furnariidae) no Brasil. *Rev. Bras. Orn.* 20: 72–74.
 12. Berkunsky, I., Daniele, G., Kacoliris, F. P., Faegre, S. I. K., Gandoy, F. A., González, L. & Díaz Luque, J. A. (2012) Records of the Crowned Eagle (*Urubitinga coronata*) in Moxos plains of Bolivia and observations about breeding behavior. *Rev. Bras. Orn.* 20: 447–450.
 13. Bessa, R. & Bizarro Esteves, C. (2012) Novo limite sul de distribuição do vite-vite-de-cabeça-cinza *Hylophilus pectoralis*. *Atualidades Orn.* 168: 15.
 14. Blancas-Calva, E., Blancas-Hernández, J. C., Castro-Torreblanca, M. & Villaseñor-Gómez, J. F. (2012) El mielero pata roja (*Cyanerpes cyaneus*) en la Sierra Madre del Sur, Guerrero, México. *Huitzil* 13: 87–90.
 15. Bodrati, A., Cockle, K. L., Salvador, S. A. & Klavins, J. (2012) Nesting of the Olivaceous Woodcreeper (*Sittasomus griseicapillus*). *Orn. Neotrop.* 23: 325–334.
 16. Boesing, A. L., Menq, W. & Dos Anjos, L. (2012) First description of the reproductive biology of the Grey-bellied Hawk (*Accipiter poliogaster*). *Wilson J. Orn.* 124: 767–774.
 17. Botero-Delgado, E., Páez, C. A. & Sanabria-Mejía, J. (2012) Discovery of two new localities for Todd's Parakeet *Pyrrhura picta caeruleiceps* using distribution models: enhancing knowledge of a little known Neotropical bird. *Ardeola* 59: 237–252.
 18. Cáceres, P. (2012) Nuevos registros de Cuclillo de pico negro (*Coccyzus melacoryphus*) en Chile. *La Chiricoca* 14: 11–14.
 19. Capllonch, P. & Lobo Allende, R. (2013) Distribución de la Martineta Chaqueña (*Eudromia formosa formosa*) en la región Chaqueña de la Argentina. *Nótulas Faunísticas* 113: 1–13.
 20. Carbó-Ramírez, P. & Zuria, I. (2012) Registro del chipe patillado (*Geothlypis formosa*) en Hidalgo: confirmación de su presencia en el estado y ampliación de su distribución. *Huitzil* 13: 83–86.
 21. del Castillo, H., Kruchowski, S., Castillo, L., Allende, S. M. & Krauczuk, E. R. (2012) Distribution of *Eupetomena macroura* in Paraguay, new records for the Misiones Province, Argentina, and comments on its geographic expansion. *Atualidades Orn.* 170: 12–17.
 22. Castro, F., Castro, J., Ramos Ferreira, A., Crozariol, M. A. & Lees, A. C. (2012) A first documented Brazilian record of Least Seedsnipe *Thinocorus rumicivorus* Eschscholtz, 1829 (Thinocoridae). *Rev. Bras. Orn.* 20: 455–457.
 23. Castro Tavares, D., Moura, J. F., Amorim, C. E. & Boldrini, M. A. (2012) Aves, Stercorariidae, Chilean Skua *Stercorarius chilensis* Bonaparte, 1857: first documented record for the state of Espírito Santo, southeastern Brazil. *Check List* 8: 560–562.
 24. Celis-Diez, J. L., Ippi, S., LoPresti, E., Salinas, D., Díaz, I. A. & Willson, M. F. (2012) Presencia y reproducción de Tenca (*Mimus thenca*) en el norte de la Isla de Chiloé. *La Chiricoca* 14: 15–17.
 25. Chablé-Santos, J., Gómez-Uc, E. & Hernández-Betancourt, S. (2012) Registros reproductivos de la paloma de collar (*Streptopelia decaocto*) en Yucatán, México. *Huitzil* 13: 1–5.
 26. Chavarría, L. & Batchelder, R. (2012) *Picoides scalaris* en Reserva Natural Isla Juan Venado, Departamento de León, Nicaragua. *Zeledonia* 16: 28–32.
 27. Córdoba-Córdoba, S., Echeverry-Galvis, M. A., Chaparro-Herrera, S. & Morales-G., N. (2012) Description of the nest and eggs of the Bearded Mountaineer hummingbird (*Oreonympha nobilis*) from Peru. *Orn. Neotrop.* 23: 299–302.
 28. Coria, O. R. & Heredia, J. (2012) Notas sobre

- la avifauna de la Sierra de Guasayán, provincia de Santiago del Estero, Argentina. *Nuestras Aves* 57: 47–49.
29. Costa Corrêa, L. L., Silva, D. E. & Cappellari, L. H. (2010) Aves, Tinamidae, *Crypturellus noctivagus noctivagus* (Wied, 1820): southward range extension and rediscovery in Rio Grande do Sul, Brazil. *Check List* 6: 585–586.
30. Crespo, S. & Novoa, J. (2012) Nuevos registros del zorzal ecuatoriano (*Turdus maculirostris*) en los Andes del norte del Perú. *Bol. UNOP* 7(1): 21–25.
31. Cuñado, C., Strelkov, S., Güller, R. & Veiga, J. O. (2012) Redescubrimiento del Picaflor Lazulita (*Hylocharis cyanus*) en la Argentina. *Nótulas Faunísticas* 95: 1–5.
32. D'Aquino Silva, T., Costa Ribenboim, L. C., Abbud, R. F., Réus Viana, I. & Jairo Zocche, J. J. (2012) Registros de ocorrência de *Chlidonias leucopterus* (Charadriiformes: Sternidae) no Sul do Brasil. *Atualidades Orn.* 166: 14–17.
33. Dehnhard, N., Ludynia, K. & Almeida, A. (2012) A Royal Penguin *Eudyptes schlegeli* in the Falkland Islands? *Marine Orn.* 40: 95–98.
34. Dias, R. A., Agne, C. E., Barcelos-Silveira, A. & Bugoni, L. (2012) New records and a review of the distribution of the Arctic Tern *Sterna paradisaea* Pontoppidan, 1763 (Aves: Sternidae) in Brazil. *Check List* 8: 563–567.
35. Donegan, T. M. (2012) Range extensions and other notes on the birds and conservation of the Serranía de San Lucas, an isolated mountain range in northern Colombia. *Bull. Brit. Orn. Club* 132: 140–161.
36. Dornas, T., Ramos, L., Pinheiro, R. T. & Oliveira Barbosa, M. (2012) Importantes e inéditos registros de aves para o ecótono Amazônia/Cerrado no centro norte do Estado do Tocantins: implicações biogeográficas e extensão de distribuição geográfica de aves amazônicas. *Rev. Bras. Orn.* 20: 33–41.
37. Fava, G. A., Acosta, J. C., Laspiur, A. & Moreno, A. (2012) Primer registro de Urutaú Común (*Nyctibius griseus*) y nuevas observaciones de aves para la provincia de San Juan. *Nuestras Aves* 57: 44–46.
38. Flórez-V., C. & Londoño, G. A. (2012) Biología de anidación del Pinzón Oliva (*Arremon castaneiceps*) en el sureste peruano. *Orn. Neotrop.* 23: 417–427.
39. Freeman, B. G., Class, A. M., Olaciregui, C. M. & Botero-Delgado, E. (2012) Breeding biology of the Blue-naped Chlorophonia (*Chlorophonia cyanea*) in the Santa Marta Mountains. *Orn. Colombiana* 12: 10–16.
40. Freile, J. F., Salas, J. A., Solano-Ugalde, A. & Navarrete, R. (2012) *Brotogeris versicolorus* (Statius Müller, 1776) (Aves: Psittacidae): introduced established population in Ecuador. *Check List* 8: 572–574.
41. Garcés-Restrepo, M. F., Saavedra-Rodríguez, C. A., Cárdenas-Carmona, G., Vidal-Astudillo, V., Ayerbe-Quiñones, F., Ortega, L. F., López-Solarte, J. E., Johnston-González, R. & Ríos-Franco, C. A. (2012) Expansión de la distribución y datos ecológicos del Carpintero Habado (*Melanerpes rubricapillus*) en el valle del río Cauca, Colombia. *Orn. Colombiana* 12: 54–60.
42. García-Bravo, A., Begazo, A. & Angulo Pratólongo, F. (2012) Primer registro del Pato Crestado (*Sarkidiornis melanotos*) en los Andes de Ayacucho. *Bol. UNOP* 7(2): 37–39.
43. Girardi, F. (2012) Observações sobre um ninho, ovos e ninhegos de *Campylorhamphus trochilirostris* no Pantanal de Miranda, Mato Grosso do Sul. *Atualidades Orn.* 170: 4–5.
44. Gomes, F. B. R., Mello Barreiros, M. H. & Krempel Santana, T. B. (2013) Novos registros da expansão geográfica de *Athene cunicularia* na Amazônia central com especial referência as atividades humanas. *Atualidades Orn.* 172: 8–10.
45. Gómez Aíza, L. & Zuria, I. (2012) Registros del estornino pinto (*Sturnus vulgaris*) en la ciudad de Pachuca, Hidalgo y evidencias de actividad reproductiva. *Huitzil* 13: 146–150.
46. González-García, F., Pérez-Solano, L. A., Ramírez-Bravo, O. E., Mandujano, S., Ramírez-Julián, R., Reyes Macedo, G., Salazar-Torres, J. M. & Guillén-Servent, A. (2012) Localidades adicionales en la distribución geográfica de la pava cojolita (*Penelope purpurascens*) en Puebla y Oaxaca, México. *Huitzil* 13: 61–67.
47. Greeney, H. F. (2012) The nest, egg, and nesting of the Stripe-headed Antpitta (*Grallaria andicolus*) in southern Peru. *Orn. Neotrop.* 23: 367–374.
48. Greeney, H. F. & Jipa, M. (2012) The nest of Crescent-faced Antpitta *Grallaricula lineifrons* in north-east Ecuador. *Bull. Brit. Orn. Club* 132: 217–220.
49. Greeney, H. F., Jipa, M., Gibson, W. S., Alcalá Gordon, P., Suson, B., Miller, E. T., Gordon, C. E. & Gelis, R. A. (2012) The nest and eggs of Black-capped Hemispingus (*Hemispingus atropileus*) in eastern Ecuador. *Kempffiana* 7(2): 34–38.
50. Greeney, H. F., Solano-Ugalde, A., Juiña J., M. E. & Gelis, R. A. (2012) Observations on the breeding of Ochre-breasted Antpitta (*Grallaricula flavirostris*) in Ecuador. *Orn. Colombiana* 12: 4–9.

51. Grilli, P., Soave, G. & Fraga, R. M. (2012) Natural history and distribution of Selva Caciques (*Cacicus koepckeae*) in the Peruvian Amazon. *Orn. Neotrop.* 23: 375–383.
52. Guevara, E., Santander, T., Guevara, J. E., Gualotuña, R. & Ortiz, V. (2010) Birds, Lower Sangay National Park, Morona-Santiago, Ecuador. *Check List* 6: 319–325.
53. Guilherme, E. (2012) Birds of the Brazilian state of Acre: diversity, zoogeography, and conservation. *Rev. Bras. Orn.* 20: 393–442.
54. Guilherme, E. & Souza Santos, G. (2013) A new locality and habitat type for Rondônia Bushbird *Clytoctantes atrogularis*. *Bull. Brit. Orn. Club* 133: 68–71.
55. Heredia, J. (2013) Sobre el Carpintero Negro (*Dryocopus schulzi*) en las sierras de la provincia de Córdoba, Argentina. *Nótulas Faunísticas* 115: 1–7.
56. Hiley, J. (2012) First records of Black Tern *Chlidonias niger*, Willet *Tringa semipalmata*, and Snowy Plover *Charadrius nivosus* for the state of Queretaro, central Mexico. *Huitzil* 13: 54–56.
57. Huertas Villalobos, J. A. & Sandoval, L. (2012) Ten new bird species for Isla del Coco, Costa Rica. *Check List* 8: 568–571.
58. Ingels, J. & Greeney, H. F. (2011) A comparative look at the nest and eggs of the Ecuadorian and Croaking Ground-Doves (*Columbina buckleyi* and *Columbina cruziana*) in Ecuador. *Bol. Soc. Antioqueña Orn.* 20: 56–60.
59. Ingels, J. & Tauleigne, D. (2011) First record of a Sungrebe (*Heliornis fulica*) nest in French Guiana. *Bol. Soc. Antioqueña Orn.* 20: 52–55.
60. Ingels, J., Pelletier, V. & Giraud-Audine, M. (2011) Description of the first nest of Green Araçari (*Pteroglossus viridis*) for French Guiana. *Bol. Soc. Antioqueña Orn.* 20: 79–82.
61. Jiménez, S., Abente, J. S., Azpiroz, A. B., Savigny, C. & Abreu, M. (2012) First Uruguayan records of Great-winged Petrel *Pterodroma macroptera*. *Bull. Brit. Orn. Club* 132: 209–212.
62. Jiménez-Arcos, V. H., Santa Cruz-Padilla, S. A., Escalona-López, A., Coro Arizmendi, M. & Vázquez, L. (2012) Ampliación de la distribución y presencia de una colonia reproductiva de la guacamaya verde (*Ara militaris*) en el alto Balsas de Guerrero, México. *Rev. Mexicana Biodiver.* 83: 864–867.
63. Klein, S. R., Daudt, N. W. & Bugoni, L. (2012) Bulwer's Petrel *Bulweria bulwerii* in Brazilian waters. *Bull. Brit. Orn. Club* 132: 214–216.
64. Labrada, O. & Blanco, P. (2011) Permanencia invernal y primer registro de nidificación de la Avoceta (*Recurvirostra americana*) en Cuba. *J. Carib. Orn.* 24: 71–73.
65. Lapergola, J. B., Marina Hipolito, J. G., Martínez-Gómez, J. E. & Curry, R. L. (2012) First description of the nest and eggs of the island-endemic Cozumel Vireo, *Vireo bairdi*. *Wilson J. Orn.* 124: 743–749.
66. Lara, K. M., Pinho, J. B. & Silveira, R. M. L. (2012) Biología reproductiva de *Taraba major* (Aves, *Thamnophilidae*) na região do Pirizal, porção norte do Pantanal, Mato Grosso, Brasil. *Pap. Avuls. Zool., São Paulo* 52: 349–359.
67. Lees, A. C., Moura, N. G., Santana, A., Aleixo, A., Barlow, J., Berenguer, E., Ferreira, J. & Gardner, T. A. (2012) Paragominas: a quantitative baseline inventory of an eastern Amazonian avifauna. *Rev. Bras. Orn.* 20: 7–32.
68. Leite, G. A., Gomes, F. B. R. & MacDonald, D. B. (2012) Description of the nest, nestling and broken-wing behavior of *Conopophaga aurita* (Passeriformes: Conopophagidae). *Rev. Bras. Orn.* 20: 42–45.
69. Lima, B. (2012) Primeiro registro documentado de noivinha-coroada *Xolmis coronatus* para o Estado de São Paulo, Brasil. *Atualidades Orn.* 170: 21.
70. Lima, P. C. (2012) O comportamento reprodutivo do bacurauzinho *Chordeiles pusillus pusillus*. *Atualidades Orn.* 170: 6–8.
71. Lopes Oliveira, S. (2011) Aves, Apodidae, *Cypseloides senex* (Temminck, 1826): geographical distribution in the state of Rio Grande do Sul, southern Brazil. *Check List* 7: 473–475.
72. Lucero, F. (2012) Nuevos registros y distribuciones de aves para las provincias de San Juan, Mendoza y La Rioja. Parte II. *Nótulas Faunísticas* 97: 1–10.
73. Lucero, F. (2012) Primer registro del Doradito Pardo (*Pseudocolopteryx dinellianus*) para la provincia de San Juan, Argentina. *Nótulas Faunísticas* 98: 1–4.
74. Lucero, F. (2013) Primer registro de Parina Chica (*Phoenicoparrus jamesi*) para la provincia de San Juan, Argentina. *Nótulas Faunísticas* 114: 1–5.
75. Luna, J. C. (2012) Primer registro del Hornero del Pacífico *Furnarius (leucopus) cinnamomeus* en Colombia. *Conserv. Colombiana* 17: 33–34.
76. Luna, J. C. & Quevedo, A. (2012) Primera fotografía en su habitat y nuevo avistamiento del Cucarachero de Santa Marta *Troglodytes monticola*, especie en peligro crítico. *Conserv. Colombiana* 17: 31–32.
77. Macana-García, D. C., Zuluaga-Bonilla, J. E., Sua-Becerra, A. & Chaparro-Herrera, S. (2012) Primeros registros de anidación del Inca Negro (*Trochilidae*,

- Coeligena prunellei*). *Orn. Colombiana* 12: 61–64.
78. MacGregor-Fors, I., Navarro-Sigüenza, A. G., Morales-Pérez, J. & Schondube, J. E. (2012) Note on the distribution and migration of the Black-capped Vireo (*Vireo atricapilla*). *Huitzil* 13: 17–21.
79. Marinero, N. V., Cortez, R. O., Sanabria, E. A. & Quiroga, L. B. (2012) Ampliación de la distribución de *Sephanoides sephanioides* (Trochilidae: Aves) en Argentina. *Rev. Peru. Biol.* 19: 217–218.
80. Martínez, F., Bustos, E. & Santos, F. (2012) El sistema Leyes-Tulumaya sigue dando sorpresas ¿Establecimiento del Federal (*Amblyramphus holosericeus*) en Mendoza? *Nuestras Aves* 57: 51–53.
81. Martínez, O. (2012) Nido y pollos del Pitajo Canela *Ochthoeca oenanthoides* (Aves: Tyrannidae) en los alrededores de la ciudad de La Paz, Bolivia. *Kempffiana* 7(1): 32–35.
82. Martínez Guerrero, J. H., Pereda Solís, M. E. & Necedal Moreno, J. (2012) Primer registro del mergo mayor (*Mergus merganser*) en Durango, México. *Huitzil* 13: 57–60.
83. Mazzoni, L. G. & Perillo, A. (2011) Range extension of *Anthus nattereri* Sclater, 1878 (Aves: Motacillidae) in Minas Gerais, southeastern Brazil. *Check List* 7: 589–591.
84. Mazzoni, L. G., Perillo, A., Malacco, G. B., Oliveira e Almeida, T., Cardoso Peixoto, H. J., Oliveira Souza, T., Carvalho Dutra, E. & Alteff França, E. (2012) Aves, *Micropygia schomburgkii* (Schomburgk, 1848), *Veniliornis mixtus* (Boddaert, 1783), *Culicivora caudacuta* (Vieillot, 1818) and *Coryphaspiza melanotis* (Temminck, 1822): documented records in the southern Espinhaço range, Minas Gerais, Brazil. *Check List* 8: 138–142.
85. Meyer, D. (2013) Primeiros registros de *Todirostrum cinereum* (ferreirinho-relógio) para o Estado de Santa Catarina, Brasil. *Atualidades Orn.* 172: 24–25.
86. Mikusek, R., Greeney, H. F., Dyrzc, A. & Simbaña, J. A. (2012) Breeding biology of the Collared Inca (*Coeligena torquata*) in eastern Ecuador. *Orn. Neotrop.* 23: 277–285.
87. Morante Filho, J. C. & Neves Godoi, M. (2012) *Trogon rufus* Gmelin, 1788, *Baryphthengus ruficapillus* (Vieillot, 1818), *Notharchus swainsoni* (Gray, 1846), *Synallaxis ruficapilla* Vieillot, 1819, *Tyrannopsis sulphurea* (Spix, 1825) and *Procnias nudicollis* (Vieillot, 1817) (Aves): documented records in the state of Mato Grosso do Sul, Brazil. *Check List* 8: 1325–1328.
88. Moreno-Contreras, I., Arteaga Luna, M. C. & Escudero González, E. (2012) Nuevos avistamientos de la sita canadiense (*Sitta canadensis*) en el norte del estado de Chihuahua, México. *Huitzil* 13: 137–140.
89. Morici, A. (2012) Primeros registros de nidificación de la Golondrina Tijerita (*Hirundo rustica*) en la provincia de La Pampa, Argentina. *Nótulas Faunísticas* 96: 1–7.
90. Neves Biancalana, R., Nogueira, W., Bessa, R., Pioli, D., Albano, C. & Lees, A. C. (2012) Range extensions and breeding biology observations of the Sooty Swift (*Cypseloides fumigatus*) in the states of Bahia, Goiás, Minas Gerais and Tocantins. *Rev. Bras. Orn.* 20: 1–6.
91. Obando-Calderón, G., Chaves-Campos, J., Garrigues, R., Martínez-Salinas, A., Montoya, M., Ramírez, R. & Zook, J. (2012) Lista oficial de las aves de Costa Rica: actualización 2012. *Zeledonia* 16: 70–84.
92. Ocampo, D., Estrada-F., M. C., Muñoz, J. M., Londoño, L. V., David, S., Valencia, G., Morales, P. A., Garizábal, J. A. & Cuervo, A. M. (2012) Breeding biology of the Red-bellied Grackle (*Hypopyrrhus pyrohypogaster*): a cooperative breeder of the Colombian Andes. *Wilson J. Orn.* 124: 538–546.
93. Olaciregui, C. A. & Botero-Delgado, E. (2012) The nest and eggs of the Santa Marta Brush-finch (*Atlapetes melanocephalus*) with notes on its reproductive biology. *Orn. Colombiana* 12: 25–31.
94. Oliveira Barbosa, M., Pacheco, J. F. & Corrêa, A. G. (2012) Primeiro registro de chorozinho-da-caatinga *Herpsilochmus sellowi* no Estado do Tocantins, Brasil. *Atualidades Orn.* 169: 22.
95. Oliveira Souza, T., Santos Silva, K. & Batista Gouvêa, A. A. (2012) Registro e documentação fotográfica de *Aratinga acuticaudata* em Minas Gerais. *Atualidades Orn.* 170: 19.
96. Pacheco Nunes, A., Cavaretto, R. C., Becker, R. G. & Gomes de Souza Paiva de Paula, E. C. (2012) Novos registros do socó-boi-escuro (*Tigrisoma fasciatum*) no Centro-Oeste do Brasil. *Atualidades Orn.* 168: 12–14.
97. Pérez-Sánchez, C. E., Villegas-Patracá, R. & MacGregor-Fors, I. (2011) Detailed description of the nest, eggs, and nesting habitat of the micro-endemic, near threatened Rose-bellied Bunting (*Passerina rositae*). *Orn. Neotrop.* 22: 569–576.
98. Piana, R. P., Diaz Alván, J., Chalco Luna, J. J., Sevillano, C. S., Saboya del Castillo, P. & Cubas Poclín, S. (2012) El Caracara Carancho (*Caracara plancus*) estaría expandiendo su rango de distribución hacia el norte y oeste de la Amazonía peruana. *Bol. UNOP* 7(2): 5–11.

99. Pineda, L. & Aguirre, C. (2013) Primer registro de la chachalaca común (*Ortalis vetula pallidiventris*) en El Salvador. *Bol. Cracid Spec. Group* 35: 9–13.
100. Pineda-López, R., Febvre Morales, N. & Martínez, M. (2012) Confirmación de la presencia del gavián caracolero (*Rostrhamus sociabilis*) en Jalisco, México. *Huitzil* 13: 39–42.
101. Quevedo, A. & Luna, J. C. (2012) Dos nuevas especies de aves para Colombia en el departamento del Guainía. *Conserv. Colombiana* 17: 26–27.
102. Quintas Filho, S. S., Carvalho Batista, R., Carpi, T. F., Almeida Sousa, R., Gurgel Costa, M. S., Feijó Paiva, F. J. & Carvalho, G. B. (2011) Aves, Tyrannidae, *Fluvicola nengeta* (Linnaeus, 1766): new record for Distrito Federal and distribution extension. *Check List* 7: 310–312.
103. Reinert, B. L., Belmonte-Lopes, R., Bornschein, M. R., Sobotka, D. D., Corrêa, L., Pie, M. R. & Pizo, M. A. (2012) Nest and eggs of the Marsh Antwren (*Stymphalornis acutirostris*): the only marsh-dwelling thamnophilid. *Wilson J. Orn.* 124: 286–291.
104. Repenning, M., Chiarani, E., Silveira Pereira, M. & Fontana, C. S. (2012) First record of the Chaco Earthcreeper *Tarphonomus certhioides* (Furnariidae), in Brazil. *Rev. Bras. Orn.* 20: 453–454.
105. Robbins, M. B., Schulenberg, T. S., Lane, D. F., Cuervo, A. M., Binford, L. C., Nyári, Á. S., Combe, M., Arbeláez-Cortés, E., Wehtje, W. & Lira-Noriega, A. (2013) Abra Maruncunca, dpto. Puno, Peru, revisited: vegetation cover and avifauna changes over a 30-year period. *Bull. Brit. Orn. Club* 133: 31–51.
106. Rodríguez-Ferraro, A., Sánchez, E. & Lentino, M. (2012) First description of the nest and eggs of the Plain-flanked Rail (*Rallus wetmorei*). *Orn. Neotrop.* 23: 461–466.
107. Rodríguez-Ruiz, E. R., Gómez-Rodríguez, J. F., Treviño-Carreón, J., Terán-Treviño, S., Enríquez Medina, F. A., Sánchez-González, A., Garza-Torres, H. A., Páramo Mendoza, C. & Gómez Ramírez, H. (2012) Nuevos avistamientos de aves para Tamaulipas, México. *Huitzil* 13: 162–168.
108. Rosina, M. & Romo, M. (2012) Reproducción y alimentación de *Phytotoma raimondii*, cortarrama peruana en El Gramadal, Ancash. *Rev. Peru. Biol.* 19: 167–173.
109. Rotenberg, J. A., Marlin, J. A., Pop, L. & García, W. (2012) First record of a Harpy Eagle (*Harpia harpyja*) nest in Belize. *Wilson J. Orn.* 124: 292–297.
110. Rowland, F. & Master, B. (2012) New records of Forster's Tern *Sterna forsteri* for Colombia. *Conserv. Colombiana* 17: 28–30.
111. Rupp, A. E., Fink, D., Thom e Silva, G., Zermiani, M., Laps, R. R. & Zimmermann, C. E. (2008) Novas espécies de aves para o Estado de Santa Catarina, sul do Brasil. *Biotemas* 21: 163–168.
112. Sánchez, C., Saucier, J. R., Benham, P. M., Lane, D. F., Gibbons, R. E., Valqui, T., Figueroa, S. A., Schmitt, C. J., Sánchez, C., Schmidt, B. K., Milensky, C. M., García Bravo, A. & García Olaechea, D. (2012) New and noteworthy records from northwestern Peru, department of Tumbes. *Bol. UNOP* 7(2): 18–36.
113. Sánchez Martínez, M. A. & Londoño, G. A. (2012) First nesting information for the Orange-eared Tanager (*Chlorochrysa calliparea*). *Wilson J. Orn.* 124: 380–384.
114. Sandoval, L. & Mennill, D. J. (2012) Breeding biology of White-eared Ground-sparrows (*Melospiza leucotis*), with a description of a new nest type. *Orn. Neotrop.* 23: 225–234.
115. Schmitt, F. (2012) Primer registro de Chorlo Semipalmado (*Charadrius semipalmatus*) en el Parque Nacional del Manu, departamento de Cusco. *Bol. UNOP* 7(2): 40–42.
116. Sevilano Ríos, C. S. (2012) Rainbow Starfrontlet *Coeligena iris* in Huascarán National Park, Ancash, Peru. *Bull. Brit. Orn. Club* 132: 207–209.
117. Silva, M., Bañuelos Irusta, J. & Câmara Rodrigues, M. (2012) Reproducción del Carpintero de Ceará (*Picumnus lima*) en Rio Grande do Norte, Brasil. *Orn. Neotrop.* 23: 429–437.
118. Silva dos Santos, G., Mendes, S. L. & Pacheco, J. F. (2012) Primeiro registro do mocho-diabo, *Asio stygius*, para o Estado do Espírito Santo. *Atualidades Orn.* 169: 21.
119. Simpson, R., Cavarzere, V. & Simpson, E. (2012) List of documented bird species from the municipality of Ubatuba, state of São Paulo, Brazil. *Pap. Avuls. Zool., São Paulo* 52: 233–254.
120. Smith, P., Pearman, M. & Betuel, A. (2013) An unusual record of Quebracho Crested Tinamou *Eudromia formosa* from the dry Chaco of Paraguay, with comments on distribution, breeding and vocalisations of the species. *Bull. Brit. Orn. Club* 133: 19–23.
121. Solano-Ugalde, A. & Brinkhuizen, D. M. (2012) Aves, Thraupidae, Indigo Flowerpiercer *Diglossa indigotica* (Sclater, 1856): new country records, natural history notes, and occurrence in northwest Ecuador. *Check List* 8: 245–247.
122. Solano-Ugalde, A. & Real-Jibaja, G. J. (2010) New distributional bird records from the eastern Andean slopes of Ecuador. *Check List* 6: 326–329.

123. Sosa-López, J. R., Martínez-Gómez, J. E., Hernández-Yáñez, H. & Mennill, D. J. (2012) Description of the nest, eggs, and parental behavior of the Clarion Wren (*Troglodytes tanneri*), a vulnerable island-endemic songbird. *Orn. Neotrop.* 23: 291–298.
124. Teixeira Bichinski, T. A. (2012) Nota sobre a nidificação de *Megascops sanctaecatrinae* no município de Pirai do Sul, Paraná. *Atualidades Orn.* 168: 4–6.
125. Ubaid, F. K., Maffei, F., Marson Moya, G. & Donatelli, R. J. (2012) Range extension for Buff-fronted Owl *Aegolius harrisii* in south-east Brazil. *Bull. Brit. Orn. Club* 132: 175–179.
126. Valencia-Herverth, R., Valencia-Herverth, J., Padilla Calderón, R., Olivares Nochebuena, M., Hernández Hernández, R. & Olivares Nochebuena, M. (2012) Información adicional sobre la avifauna de Hidalgo, México. *Huitzil* 13: 95–103.
127. Vasconcelos, M. F., Vieira Chaves, A. & Rodrigues dos Santos, F. (2012) First record of *Augastes scutatus* for Bahia refines the location of a purported barrier promoting speciation in the Espinhaço Range, Brazil. *Rev. Bras. Orn.* 20: 443–446.
128. Villaseñor, E. & Botello, F. (2012) Registros notables de la guacamaya verde (*Ara militaris*) en el norte del estado de Guerrero, México. *Acta Zool. Mexicana (n. s.)* 28: 465–470.
129. Ward-Bolívar, V. & Lasso-Zapata, J. (2012) Primeros registros del Pato Serrucho Pechicastaño (*Mergus serrator*) para las islas de Providencia y San Andrés, Caribe colombiano. *Orn. Colombiana* 12: 47–50.
130. White, A. & Jeremiah, A. (2011) First record of Large-billed Tern (*Phaetusa simplex*) for Grenada and the Lesser Antilles. *J. Carib. Orn.* 24: 74–76.
131. Yojanan Lobo-y-Henriques, J. C., Bates, J. & Willard, D. (2012) First record for the Black-and-white Tanager *Conothraupis speculigera* in Colombia. *Conserv. Colombiana* 17: 45–51.
132. Zilio, F. & Mendonça-Lima, A. (2012) The White-rumped Hawk (*Buteo leucorrhous*) in southern Brazil: status, conservation, and first description of the nest. *Orn. Neotrop.* 23: 51–61.